


CURRICULUM VITAE

Name: Kotaro Yoshimura

Department of Plastic Surgery, School of Medicine
University of Tokyo



Education (Thesis):

1979-1985 M.D. University of Tokyo School of Medicine, Tokyo, Japan.

1994 Ph.D. University of Tokyo School of Medicine, Tokyo, Japan.

Training and employment:

1985-1987 Resident, Department of Plastic Surgery, University of Tokyo, Tokyo, Japan.

1987-1988 Clinical Fellow, Department of Plastic Surgery, Jichi Medical College, Tochigi, Japan.

1988-1989 Associate, Department of Plastic Surgery, Yamanashi Medical College, Kofu, Japan.

1989-1991 Associate, Department of Plastic Surgery, Saitama Medical College, Moro, Japan.

1991-1994 Associate, Department of Plastic Surgery, University of Tokyo, Tokyo, Japan.

1994-1995 Visiting researcher, Department of Plastic Surgery, University of Michigan, MI, USA.

1995-1998 Associate, Department of Plastic Surgery, University of Tokyo, Tokyo, Japan.

1998-present Associate Professor, Department of Plastic Surgery, University of Tokyo, Tokyo, Japan.

2005-present Visiting professor, Department of Plastic Surgery, Kyorin University, Tokyo, Japan.

2009(May 7) Visiting Professor of the Division of Plastic and Reconstructive Surgery at Cedars Sinai Medical Center, Los Angeles, CA, USA.

2009(Nov) Visiting Professor of the Department of Plastic and Reconstructive Surgery at University of California Devis, CA, USA

Certification, licensure and activities:

- 1985 Medical Licensure, Japan.
- 1991 Japanese Board of Plastic Surgery Certification (Japanese Society of Plastic & Reconstructive Surgery (JSPRS))(Board member number: 90-0675)
- 1991-now Active member of IPRAS (International Federation of Plastic Reconstructive Surgery)
- 2000-now Active member of ISAPS (International Society of Aesthetic Plastic Surgery)
- 2001-now International member of American Society of Plastic Surgeon (ASPS) (Certified on Nov. 6th, 2001; member ID number: 31317)
- 2002-now Council member of JSPRS
- 2003-now Active member of IFATS (International federation of adipose therapeutics and science)
- 2006-now Council member of Japanese Society of Anti-Aging Medicine
- 2006-now Council member of Japanese Society of Men's Health
- 2009-now Active member of ASAPS (American Society of Aesthetic Plastic Surgery)
- 2009-now Council member of Japanese Society of Regenerative Medicine
- 2010-now Active member of Plastic Surgery Research Council (USA)
- 2011-now Active fellow of American Association of Plastic Surgeons (AAPS) (5/1/2011-)
- 2011- now Executive committee member and Asian liaison of Plastic Surgery Research Council (PSRC)
- 2011-now Founding member of International Society of Plastic Regenerative Surgery (ISPRES) under IPRAS
- 2012-now International member of Regenerative Medicine Taskforce by ASPS
- 2012-now Council member of Japanese Society of Oncoplastic Breast Surgery (JOPBS)
- 2012-now International Committee member of Japanese Society of Oncoplastic Breast Surgery (JOPBS)
- 2013-now Ad Hoc International Committee member of PSRC

Awards

- 2010 Oct: The Professor Illouz Award 2010 (5000 USD)
- 2011 Jan; IMCAS Award 2011 (2000 EUR)
- 2011 April: The Academic Award of Japanese Society of Plastic Surgery (JSPS) (300,000 JPY)
- 2012 Jan: Johnson and Johnson Focused Funding Award (100,000 USD)
- 2012 April: The Academic Award of Japanese Society of Plastic Surgery (JSPS)

(150,000 JPY)

International publication (only peer-reviewed publications in English and indexed in Medline): *corresponding author article

All publications can be downloaded from

https://www.researchgate.net/profile/Kotaro_Yoshimura2/

- 1) Sugawara Y, Hirabayashi S, Asato H, Yoshimura K. Reconstruction of the umbilicus using a single triangular flap. **Ann Plast Surg** 34: 78-80, 1995.
- 2) Yoshimura K, Faulkner JA, Kuzon WM. Influence of skeletal muscle architecture on contractile properties after tenotomy or myotomy. **Surgical Forum** 46: 603-605, 1995.
- 3) Asato H, Harii K, Nakatsuka T, Yoshimura K. Use of the disposable stapler to insure proper fixation of a transferred muscle in treatment of facial paralysis. **J Reconstr Microsurg** 19: 199-204, 1998.
- 4)* Yoshimura K, Kuzon WM, Harii K. Myosin heavy chain expression in skeletal muscle autografts under neural or aneural condition. **J Surg Res** 75: 135-147, 1998.
- 5)* Yoshimura K, Harii K, Asato H, Ueda K, Yamada A. Immunohistochemical study of clinically transplanted muscles. **J Surg Res** 79: 31-38, 1998.
- 6)* Yoshimura K, Nakatsuka T, Ichioka S, Kaji N, Harii K. One-stage reconstruction of an upper part defect of the auricle. **Aesthe Plast Surg** 22: 352-355, 1998.
- 7) Ueda K, Harii K, Asato H, Yoshimura K, Yamada A. Evaluation of muscle graft using facial nerve on the affected side as a motor source in the treatment of facial paralysis. **Scand J Plast Reconstr Surg Hand Surg** 33: 47-57, 1998.
- 8) Harii K, Asato H, Yoshimura K, Sugawara Y, Nakatsuka T, Ueda K. One-stage transfer of the latissimus dorsi muscle for the reanimation of a paralyzed face. **Plast Reconstr Surg** 102: 941-951, 1998.
- 9)* Yoshimura K, Harii K. A regenerative change during muscle adaptation to denervation in rats. **J Surg Res** 81: 139-146, 1999.
- 10)* Yoshimura K, Harii K, Aoyama T, Shibuya F, Iga T. A new bleaching protocol for hyperpigmented skin lesions with a high concentration of all-trans retinoic acid aqueous gel. **Aesthe Plast Surg** 23: 285-291, 1999.
- 11) Nakatsuka T, Harii K, Takushima A, Yoshimura K, Ichioka S, Sugawara M, Ichimura K, Seto Y, Nagawa H. Prefabricated free jejunal transfer: a new reconstructive technique for high pharyngeal defects. **Plast Reconstr Surg** 103: 458-464, 1999.
- 12) Ichioka S, Nakatsuka T, Yoshimura K, Kaji N, Harii K. Free jejunal patch to reconstruct oral scar contracture following caustic ingestion. **Ann Plast Surg** 43: 83-86, 1999.
- 13) Yoshimura K, Asato H, Cederna PS, Urbanek MG, Kuzon WM. The effect of reinnervation on force production and power output in skeletal muscle. **J Surg Res** 81: 201-208, 1999.
- 14)* Yoshimura K, Asato H, Nakatsuka T, Sugawara Y, Park S. Elevation of a constructed auricle using the anteriorly-based mastoid fascial flap. **Brit J Plast Surg** 52: 530-533, 1999.

- 15)* Kawasaki Y, Yoshimura K, Harii K, Park S. Identification of motor and sensory axons in a regenerating mixed nerve. **J Hand Surg (Am)** 25A: 104-111, 2000.
- 16)* Yoshimura K, Harii K, Aoyama T, Iga T. Experience of a Strong Bleaching Treatment for Skin Hyperpigmentation in Orientals. **Plast Reconstr Surg** 105: 1097-1110, 2000.
- 17)* Yoshimura K, Ouchi K, Wakita S, Uda K, Harii K. Surgical correction of cryptotia with superiorly-based superficial mastoid fascia and skin paddle. **Plast Reconstr Surg** 105: 836-841, 2000.
- 18) Gonda K, Nakaoka T, Yoshimura K, Otawara-Hamamoto Y, Harii K. Heterotopic ossification of degenerating rat skeletal muscle induced by adenovirus-mediated transfer of bone morphogenetic protein-2 gene. **J Bone Mine Res** 15: 1056-1065, 2000.
- 19)* Yoshimura K, Tsukamoto K, Okazaki M, Virador VM, Lei TC, Suzuki Y, Uchida G, Kitano Y, Harii K. Effects of all-trans retinoic acid on melanogenesis in pigmented skin equivalents and monolayer culture of melanocytes **J Dermatol Sci** 27(S1): 68-75, 2001.
- 20) Kitano Y, Yoshimura K, Uchida G, Sato K, Harii K. Wound healing of genetically diabetic mouse after topical treatment with all-trans retinoic acid. **Arch Dermatol Res** 292:515-521, 2001.
- 21)* Yoshimura K, Harii K, Masuda Y, Takahashi M, Aoyama T, Iga T: Usefulness of a narrow-band reflectance spectrophotometer in evaluating effects of depigmenting treatment. **Aesthe Plast Surg** 25: 129-33, 2001.
- 22) Park S, Iida T, Yoshimura K, Harii K. Phenol cauterization for ganglions of the hand, wrist, and foot: a preliminary report. **Ann Plast Surg** 48:582-585, 2002.
- 23) Yoshimura K, Asato H, Jejurikar SS, Cederna PS, Urbanek MG, Kuzon WM. The effect of two episodes of denervation and reinnervation on skeletal muscle contractile function. **Plast Reconstr Surg** 109:212-219, 2002.
- 24) Okazaki M, Yoshimura K, Uchida G, Harii K. Elevated expression of Hepatocyte and Keratinocyte Growth Factor in cultured buccal-mucosa-derived fibroblasts compared with normal-skin-derived fibroblasts. **J Dermatol Sci** 30: 108-115, 2002.
- 25)* Yoshimura K, Momosawa A, Watanabe A, Sato K, Matsumoto D, Aiba E, Harii K, Yamamoto T, Aoyama T, Iga T. Cosmetic color improvement of the nipple-areola complex by optimal use of tretinoin and hydroquinone. **Dermatol Surg** 28:1153-1157, 2002.
- 26) Okazaki M, Yoshimura K, Fujiwara H, Suzuki Y, Harii K. Induction of hard keratin in non-nail-matrical keratinocytes by nail-matrical fibroblasts through epithelial-mesenchymal interaction. **Plast Reconstr Surg** 111: 286-290, 2003.
- 27)* Yoshimura K, Momosawa A, Aiba E, Sato K, Matsumoto D, Mitoma Y, Harii K, Aoyama T, Iga T. Clinical trial of bleaching treatment with 10% all-trans retinol gel. **Dermatol Surg** 29: 155-160, 2003.
- 28) Okazaki M, Yoshimura K, Suzuki Y, Uchida G, Kitano Y, Harii K, Imokawa G. The mechanism of epidermal hyperpigmentation in cafe-au-lait macules of neurofibromatosis type 1 (von Recklinghausen's disease) may be associated with dermal fibroblast-derived

- stem cell factor and hepatocyte growth factor. **Brit J Dermatol** 148: 689-697, 2003.
- 29)* Uchida G, Yoshimura K, Kitano Y, Okazaki M, Harii K. Tretinoin reverses upregulation of matrix metalloproteinase-13 in human keloid-derived fibroblasts. **Exp Dermatol** 12(Suppl.2): 35-42, 2003.
- 30)* Yoshimura K, Uchida G, Okazaki M, Kitano Y, Harii K. Differential expression of heparin-binding EGF-like growth factor (HB-EGF) mRNA in normal human keratinocytes induced by a variety of natural and synthetic retinoids. **Exp Dermatol** 12(Suppl.2): 28-34, 2003.
- 31)* Momosawa A, Yoshimura K, Uchida G, Sato K, Aiba E, Matsumoto D, Mihara S, Tsukamoto K, Harii K, Aoyama T, Iga T. Combined Therapy Using Q-Switched Ruby Laser and Bleaching Treatment with Tretinoin and Hydroquinone for Acquired Dermal Melanocytosis. **Dermatol Surg** 29: 1001-1007, 2003.
- 32) Okazaki M, Yoshimura K, Suzuki Y, Harii K. Subepithelial fibroblasts influence on epithelial differentiations in human skin and oral mucosa: Heterotypically recombined organotypic culture model. **Plast Reconstr Surg** 112: 784-92, 2003.
- 34) Hirohi T, Yoshimura K. Surgical Correction of Retracted Nostril Rim with Auricular Composite Grafts and Anchoring Suspension. **Aesthe Plast Surg** 27: 418-422, 2003.
- 35)* Yoshimura K, Wakita S, Sato K, Kaji N, Aiba E, Matsumoto D, Yamaoka H, Nagase T. A Clinical trial of Simultaneous Reconstruction of Breast and Well-Projected Nipple Following Expansion of Breast Skin. **Scand J Plast Reconstr Surg Hand Surg** 39: 77-84, 2005.
- 36)* Nagase T, Yoshimura K, Aiba E, Matsumoto D, Sato K, Machino C. Angle-splitting Ostectomy Followed by Facelift for Elderly Patients with Prominent Mandibular Angles. **Plast Reconstr Surg** 115: 633-40, 2005.
- 37) Okazaki M, Yoshimura K, Uchida G, Suzuki Y, Kitano Y, Harii K. Epidermal hyperpigmentation in non-syndromic solitary cafe-au-lait macules may be associated with increased secretion of endothein-1 by lesional keratinocytes. **Scand J Plast Reconstr Surg Hand Surg** 39: 213-217, 2005.
- 38) Okazaki M, Yoshimura K, Uchida G, Harii K. Correlation between age and the secretions of melanocyte-stimulating cytokines in cultured keratinocytes and fibroblasts. **Brit J Dermatol** 153(Suppl 2): 23-29, 2005.
- 39) Nagase T, Nagase M, Osumi N, Fukuda S, Nakamura S, Ohsaki K, Harii K, Asato H, Yoshimura K. Craniofacial Anomalies of the Cultured Mouse Embryo Induced by Inhibition of Sonic Hedgehog Signaling: An Animal Model of Holoprosencephaly. **J Craniofac Surg** 16: 80-88, 2005.
- 40) Nagase T, Nagase M, Yoshimura K, Fujita T, Koshima I. Angiogenesis within the developing mouse neural tube is dependent on sonic hedgehog signaling: possible roles of motor neurons. **Genes Cells** 10: 595-604, 2005.
- 41) Mochizuki Y, Ojima K, Uezumi A, Masuda S, Yoshimura K, Takeda S. Participation of bone marrow-derived cells in fibrotic changes in denervated skeletal muscle. **Am J Pathol** 166: 1721-1732, 2005.

- 42) Okazaki M, Suzuki Y, Yoshimura K, Harii K. Construction of pigmented skin equivalent and its application to the study of congenital disorders of pigmentation. **Scand J Plast Reconstr Surg Hand Surg** 39: 339-43, 2005.
- 43)* Kurita M, Aiba E, Matsumoto D, Sato K, Nagase T, Yoshimura K. Feminizing genitoplasty for treatment of XX male with masculine genitalia: case report. **Plast Reconstr Surg** 117: 107e-111e, 2006.
- 44)* Yoshimura K, Sato K, Aiba-Kojima E, Matsumoto D, Machino C, Nagase T, Gonda K, Koshima I. Repeated treatment protocols for Melasma and Acquired Dermal Melanocytosis. **Dermatol Surg** 32: 365-371, 2006.
- 45)* Yoshimura K, Shigeura T, Matsumoto D, Sato T, Takaki Y, Aiba-Kojima E, Sato K, Inoue K, Nagase T, Koshima I, Gonda K. Characterization of freshly isolated and cultured cells derived from the fatty and fluid portions of liposuction aspirates. **J Cell Physiol** 208: 64-76, 2006.
- 46) Yoshimura K, DeMeester J, Hasan JS, Urbanchek MG, Kuzon WM Jr. Neurovascular Transfer Does Not Cause Skeletal Muscle Fiber Degeneration. **Plastic Reconstr Surg** 117:1455-1461, 2006.
- 47) Nagase T, Nagase M, Yoshimura K, Machida M, Yamagishi M. Defects in aortic fusion and craniofacial vasculature in holoprosencephalic mouse embryo under inhibition of sonic hedgehog signaling. **J Craniofac Surg** 17: 737-744, 2006.
- 48) Koshima I, Urushibara K, Fukuda N, Ohkochi M, Nagase T, Gonda K, Asato H, Yoshimura K. Digital artery perforator flaps for fingertip reconstructions. **Plast Reconstr Surg** 118: 1579-84, 2006.
- 49)* Sato K, Matsumoto D, Aiba-Kojima E, Machino C, Watanabe-Ono A, Inoue K, Iizuka F, Gonda K, Yoshimura K. Anti-androgenic therapy using oral spironolactone for acne vulgaris in Asians. **Aesthe Plast Surg** 30: 689-694, 2006.
- 50)* Matsumoto D, Sato K, Gonda K, Takaki Y, Shigeura T, Sato T, Aiba-Kojima E, Iizuka F, Inoue K, Suga H, Yoshimura K. Cell-assisted lipotransfer (CAL): supportive use of human adipose-derived cells for soft tissue augmentation with lipoinjection. **Tissue Eng** 12: 3375-3382, 2006.
- 51) Nagase T, Matsumoto D, Nagase M, Yoshimura K, Shigeura T, Inoue M, Hasegawa M, Yamagishi M, Machida M. Neurospheres from human adipose tissue transplanted into cultured mouse embryos can contribute to craniofacial morphogenesis: A preliminary report. **J Craniofac Surg** 18: 49-53, 2007.
- 52)* Aiba-Kojima E, Tsuno NH, Inoue K, Matsumoto D, Sato K, Shigeura T, Sato T, Suga H, Nagase T, Gonda K, Koshima I, Takahashi K, Yoshimura K. Characterization of wound drainage fluids as a source of soluble factors associated with wound healing: comparison to platelet-rich plasma and potential use for cell-based therapies. **Wound Repair Regen** 15: 511-520, 2007.
- 53)* Sato K, Matsumoto D, Iizuka F, Aiba-Kojima E, Machino C, Suga H, Watanabe-Ono A, Inoue K, Gonda K, Yoshimura K. A clinical trial of topical bleaching treatment with nanoscale tretinoin particles and hydroquinone for hyperpigmented skin lesions.

Dermatol Surg 33: 937-944, 2007.

54)* Yoshimura K, Sato K, Aoi N, Kurita M, Hirohi T, Harii K. Cell-assisted lipotransfer (CAL) for cosmetic breast augmentation -supportive use of adipose-derived stem/stromal cells-. **Aesthe Plast Surg** 32: 48-55, 2008.

55)* Matsumoto D, Shigeura T, Sato K, Inoue K, Suga H, Iizuka F, Aoi N, Murase S, Gonda K, Yoshimura K. Influences of preservation at various temperatures on liposuction aspirates. **Plast Reconstr Surg** 120: 1510-1517, 2007.

56)* Suga H, Shigeura T, Matsumoto D, Inoue K, Kato H, Aoi N, Murase S, Sato K, Gonda K, Koshima I, Yoshimura K. Rapid expansion of human adipose-derived stromal cells preserving multipotency. **Cytotherapy** 9: 738-745, 2007.

57)* Gonda K, Shigeura T, Sato T, Matsumoto D, Suga H, Inoue K, Aoi N, Iizuka F, Sato K, Murase S, Koshima I, Yoshimura K. Preserved proliferative capacity and multipotency of human adipose-derived stem cells after long-term cryopreservation. **Plast Reconstr Surg** 121: 401-410, 2008.

58)* Kurita M, Matsumoto D, Shigeura T, Sato K, Gonda K, Harii K, Yoshimura K. Influences of centrifugation on cells and tissues in liposuction aspirates: optimized centrifugation for lipotransfer and cell isolation. **Plast Reconstr Surg** 121: 1033-1041, 2008.

59)* Inoue K, Sato K, Matsumoto D, Gonda K, Yoshimura K. Arterial embolization and skin necrosis of the nasal ala following injection of dermal fillers. **Plast Reconstr Surg** 121: 127e-128e, 2008.

60)* Yoshimura K, Sato K, Aoi N, Kurita M, Inoue K, Suga H, Eto H, Kato H, Hirohi T, Harii K. Cell-assisted lipotransfer for facial lipoatrophy: efficacy of clinical use of adipose-derived stem cells. **Dermatol Surg** 34: 1178-1185, 2008.

61)* Suga H, Matsumoto D, Inoue K, Shigeura T, Eto H, Aoi N, Kato H, Abe H, Yoshimura K. Numerical measurement of viable and non-viable adipocytes and other cellular components in aspirated fat tissue. **Plast Reconstr Surg** 122: 103-114, 2008.

62)* Kurita M, Aiba-Kojima E, Shigeura T, Matsumoto D, Suga H, Inoue K, Eto H, Kato H, Aoi N, Yoshimura K. Differential effects of three preparations of human serum on expansion of various types of human cells. **Plast Reconstr Surg** 122: 438-448, 2008.

63)* Kurita M, Kato H, Yoshimura K. A therapeutic strategy based on histological assessment of hyperpigmented skin lesions in Asians. **J Plast Reconstr Aesthe Surg** 62: 955-963, 2009.

64)* Yoshimura K, Sato K, Aoi N, Kurita M, Suga H, Inoue K, Eto H, Hirohi T, Harii K. Ectopic fibrogenesis induced by transplantation of adipose-derived progenitor cell suspension immediately after lipoinjection. **Transplantation** 85: 1868-1869, 2008.

65)* Inoue K, Kato H, Sato T, Osada A, Aoi N, Suga H, Eto H, Gonda K, Yoshimura K. Evaluation animal models for the hair inducing capacity of cultured human dermal papilla cells. **Cells Tissues Organs** 190: 102-110, 2009

66)* Suga H, Eto H, Shigeura T, Inoue K, Aoi N, Kato H, Nishimura S, Manabe I, Gonda K, Yoshimura K. FGF-2-induced HGF secretion by adipose-derived stromal cells inhibits

- post-injury fibrogenesis through a JNK-dependent mechanism. **Stem Cells** 27: 238-249, 2009.
- 67)* Yoshimura K, Suga H, Eto H. Adipose-derived stem/progenitor cells: Roles in adipose tissue remodeling and potential use for soft tissue augmentation. **Regen Med** 4: 265-273, 2009.
- 68)* Suga H, Matsumoto D, Shigeura T, Eto H, Inoue K, Aoi N, Kato H, Araki J, Yoshimura K. Functional implications of CD34 expression in human adipose-derived stem/progenitor cells. **Stem Cell Dev** 18: 1201-1209, 2009.
- 69)* Inoue K, Aoi N, Yamauchi Y, Sato T, Suga H, Eto H, Kato H, Yoshimura K. TGF- β 2 is specifically expressed in human dermal papilla cells and modulates hair folliculogenesis. **J Cell Mol Med** 13: 4643-4656, 2009.
- 70)* Kurita M, Aiba-Kojima E, Yoshimura K. Platelet-Rich Plasma: The Importance of Platelet Separation and Concentration Reply. **Plastic Reconstr Surg** 123: 1136-1137, 2009.
- 71)* Suga H, Araki J, Aoi N, Kato H, Higashino T, Yoshimura K. Adipose tissue remodeling in lipedema: adipocyte death and concurrent regeneration. **J Cutan Pathol** 36: 1294-1298, 2009.
- 72)* Aoi N, Yoshimura K, Kadono T, Nakagami G, Iizuka S, Higashino T, Araki J, Koshima I, Sanada H. Ultrasound assessment of deep tissue injury in pressure ulcers: possible prediction of pressure ulcer progression. **Plast Reconstr Surg** 124: 540-550, 2009.
- 73)* Eto H, Suga H, Matsumoto D, Shigeura T, Inoue K, Aoi N, Kato H, Araki J, Yoshimura K. Characterization of adipose tissue structure and cellular components: Differences between aspirated adipose tissue and excised adipose tissue. **Plast Reconstr Surg** 124: 1087-1097, 2009.
- 74)* Inoue K, Aoi N, Sato T, Yamauchi Y, Suga H, Eto H, Kato H, Araki J, Yoshimura K. Differential expression of stem cell-associated markers in human hair follicle epithelial cells. **Lab Invest** 89: 844-856, 2009.
- 75)* Suga H, Eto H, Inoue K, Aoi N, Kato H, Araki J, Higashino T, Yoshimura K. Cellular and molecular features of lipoma tissue: comparison with normal adipose tissue. **Brit J Dermatol** 161: 819-825, 2009.
- 76) Nishimura S, Manabe I, Nagasaki M, Eto K, Yamashita H, Ohsugi M, Otsu M, Hara K, Sugiura S, Yoshimura K, Kadowaki T, Nagai R. CD8+ effector T cells contribute to macrophage recruitment and adipose tissue inflammation in obesity. **Nat Med** 15: 914-20, 2009.
- 77)* Yoshimura K, Asano Y, Aoi N, Kurita M, Oshima Y, Sato K, Inoue K, Suga H, Eto H, Kato H, Harii K. Progenitor-enriched adipose tissue transplantation as rescue for breast implant complications, **Breast J** 16: 169-175, 2010.
- 78)* Hirohi T, Yoshimura K. Lower face reduction with full-thickness marginal osteotomy of mandibular corpus-angle followed by corticectomy. **J Plast Reconstr Aesthe Surg** 63: 1251-1259, 2010.

- 79)* Kato H, Suga H, Eto H, Aoi N, Araki J, Doi K, Higashino T, Iida T, Tabata Y, Yoshimura K. Reversible adipose tissue enlargement induced by external tissue suspension: possible contribution of basic fibroblast growth factor for preservation of enlarged tissue. **Tissue Eng Part A** 16: 2029-2040, 2010.
- 80)* Kato H, Yoshida R, Tsukamoto K, Suga H, Eto H, Higashino T, Araki J, Ogata T, Yoshimura K. Familial cases with atypical clinical features genetically diagnosed as LEOPARD syndrome (multiple lentigines syndrome). **Int J Dermatol** 49: 1146-1151, 2010.
- 81)* Suga H, Eto H, Aoi N, Kato H, Araki J, Doi K, Yoshimura K. Adipose tissue remodeling under ischemia: Death of adipocytes and activation of stem/progenitor cells. **Plast Reconstr Surg** 126: 1911-1923, 2010.
- 82) Hirohi T, Yoshimura K. Vertical enlargement of palpebral aperture by static shortening of the anterior and posterior lamella of the lower eyelid; a cosmetic option for Asian eyelids. **Plast Reconstr Surg** 127: 396-406, 2011.
- 83)* Kurita M, Matsumoto D, Kato H, Araki J, Higashino T, Fujino T, Takasu K, Yoshimura K. Tissue reactions to cog structure and pure gold in lifting threads: A histological study in rats. **Aesthe Surg J** 31: 347-351, 2011.
- 84)* Aoi N, Inoue K, Kato H, Suga H, Eto H, Doi K, Iida T, Yoshimura K. Clinically applicable transplantation of dermal papilla cell construct for hair follicle regeneration. **J Tissue Eng Regen Med** 6: 85-95, 2012.
- 85)* Eto H, Suga H, Aoi N, Kato H, Araki J, Doi K, Higashino T, Yoshimura K. Adipose injury-associated factors mitigate hypoxia in ischemic tissues through activation of adipose stem/stromal cells and induction angiogenesis. **Am J Pathol** 178: 2322-2332, 2011.
- 86) Minematsu T, Huang L, Ibuki A, Nakagami G, Akase T, Sugama J, Nagase T, Yoshimura K, Sanada H. Altered expression of matrix metalloproteinases and their tissue inhibitors in matured rat adipocytes in vitro. **Biol Res Nurs** 14: 242-249, 2012.
- 87)* Kato H, Araki J, Eto H, Doi K, Hirai R, Kuno S, Higashino T, Yoshimura K. A prospective randomized controlled study of oral tranexamic acid for preventing post-inflammatory hyperpigmentation after Q-switched ruby laser. **Derm Surg** 37: 605-610, 2011.
- 88) Zhang X, Hirai M, Cantero S, Ciubotariu R, Dobrila L, Hirsh A, Igura K, Satoh H, Yokomi I, Nishimura T, Yamaguchi S, Yoshimura K, Rubinstein P, Takahashi TA. Isolation of human umbilical cord blood derived mesenchymal stem cells: Quantitation of increased cellular viability at shorter times after delivery and high ability to proliferate and differentiate to chondrocytes as compared to mesenchymal stem cells from bone marrow and adipose tissue. **J Cell Biochem** 112: 1206-1218, 2011.
- 89) Chazenbalk G, Bertolotto C, Heneidi S, Aronowitz J, Yoshimura K, Simmons CF, Azziz R. Novel pathway of adipogenesis through cross-talk between adipose tissue macrophages, adipose stem/progenitor cells and adipocytes. **Plos One** 6: e17834, 2011.
- 90) Gimble JM, Bunnell BA, Casteilla L, Jung JS, Yoshimura K. Phases I-III clinical

- trials using adult stem cells. **Stem Cells Int** 2010: 604713, 2011. (doi:10.4061/2010/604713)
- 91) Minematsu T, Yamamoto Y, Nagase T, Naito A, Takehara K, Iizuka S, Komagata K, Huang L, Nakagami G, Akase T, Oe M, Yoshimura K, Ishizuka T, Sugama J, Sanada H. Aging enhances maceration-induced ultrastructural alteration of the epidermis and impairment of skin barrier function. **J Dermatol Sci** 62: 160-168, 2011.
- 92) Kobayashi N, Ueki K, Okazaki Y, Iwane A, Kubota N, Ohsugi M, Awazawa M, Kobayashi M, Sasako T, Kaneko K, Suzuki M, Nishikawa Y, Hara K, Yoshimura K, Koshima I, Goyama S, Murakami K, Sasaki J, Nagai R, Kurokawa M, Sasaki T, Kadowaki T. Blockade of class IB phosphoinositide-3 kinase ameliorates obesity-induced inflammation and insulin resistance. **Proc Natl Acad Sci U S A** 108: 5753-5758, 2011.
- 93)* Eto H, Suga H, Aoi N, Kato H, Doi K, Kuno S, Tabata Y, Yoshimura K. Therapeutic potential of fibroblast growth factor-2 for hypertrophic scars: upregulation of MMP-1 and HGF expression. **Lab Invest** 92: 214– 223, 2012.
- 94) Ohto-Fujita E, Konno T, Shimizu M, Ishihara K, Sugitate T, Miyake J, Yoshimura K, Taniwaki K, Sakurai T, Hasebe Y, Atomi Y. Hydrolyzed eggshell membrane immobilized on phosphorylcholine polymer supplies extracellular matrix environment for human dermal fibroblasts. **Cell Tissue Res** 345: 177-190, 2011.
- 95)* Yoshimura K, Eto H, Kato H, Doi K, Aoi N. *In vivo* manipulation of stem cells for adipose tissue repair/reconstruction. **Regen Med** 6(6 Suppl.): 33–41, 2011.
- 96) Goisis M, Yoshimura K, Heden P. Breast Augmentation After Macrolane Filler Injections. **Aesth Plast Surg** 35: 684-686, 2011.
- 97)* Araki J, Jona M, Eto H, Aoi N, Kato H, Suga H, Doi K, Yatomi Y, Yoshimura K. Optimized preparation method of platelet-concentrated plasma and non-coagulating platelet-derived factor concentrates: Maximization of platelet concentration and removal of fibrinogen. **Tissue Eng part C** 18: 176-185, 2012.
- 98) Asada M, Nakagami G, Minematsu T, Nagase T, Akase, T, Huang L, Yoshimura K, Sanada H. Novel biomarkers for the detection of wound infection by wound fluid RT-PCR in rats. **J Dermatol Sci** 21: 118-122, 2012.
- 99)* Eto H, Kato H, Suga H, Aoi N, Doi K, Kuno S, Yoshimura K. The fate of adipocytes after non-vascularized fat grafting: Evidence of early death and replacement of adipocytes. **Plast Reconstr Surg** 129: 1081-1092, 2012.
- 100) Ibuki A, Akase T, Nagase T, Minematsu T, Nakagami G, Horii M, Sagara, H, Komeda T, Kobayashi M, Shimada T, Aburada M, Yoshimura K, Sugama J, Sanada H. Skin fragility in obese diabetic mice: possible involvement of elevated oxidative stress and upregulation of matrix metalloproteinases. **Exp Dermatol** 21: 178-183, 2012.
- 101)* Rubin JP, O'Brien DC, Zuley M, Toy J, Asano Y, Kurita M, Aoi N, Harii K, Yoshimura K. Mammographic changes after fat transfer to the breast compared with changes after breast reduction: a blinded study. **Plast Reconstr Surg** 129: 1029-1038, 2012.

- 102)* Doi K, Tanaka S, Iida H, Eto H, Kato H, Aoi N, Kuno S, Hirohi T, Yoshimura K. Stromal vascular fraction isolated from lipoaspirates using an automated processing system: bench and bed analysis. **J Tissue Eng Regen Med** 7: 864-870, 2013.
- 103)* Aoi N, Inoue K, Chikanishi T, Fujiki R, Yamamoto H, Kato H, Eto H, Doi K, Itami S, Kato S, Yoshimura K. $1\alpha,25$ -dihydroxyvitamin D₃ modulates the hair-inductive capacity of dermal papilla cells: Therapeutic potential for hair regeneration. **Stem Cells Transl Med** 1: 615-626, 2012.
- 104) Asada M, Nakagami G, Minematsu T, Nagase T, Akase T, Huang L, Yoshimura K, Sanada H. Novel models for bacterial colonization and infection of full-thickness wounds in rats. **Wound Repair Regen** 20:601-610, 2012.
- 105) Nagase T, Akase T, Sanada H, Minematsu T, Ibuki A, Huang L, Asada M, Yoshimura K, Nagase M, Shimada T, Aburada M, Nakagami G, Sugama J. Aging-Like Skin Changes in Metabolic Syndrome Model Mice Are Mediated by Mineralocorticoid Receptor Signaling. **Aging Cell** 12: 50-57, 2013.
- 106)* Eto H, Ishimine H, Kinoshita K, Watanabe-Susaki K, Kato H, Doi K, Kuno S, Kurisaki A, Yoshimura K. Characterization of human adipose tissue-resident hematopoietic cell populations reveals a novel macrophage subpopulation with CD34 expression and mesenchymal multipotency. **Stem Cell Dev** 22: 985-997, 2013.
- 107)* Inoue K, Yoshimura K. Isolation and characterization of human hair follicle epithelial cells. **Methods Mol Biol** 946: 411-421, 2013.
- 108)* Mashiko T, Mori H, Kato H, Doi K, Kuno S, Kinoshita K, Kunimatsu A, Ohtomo K, Yoshimura K. Semi-permanent volumization by an absorbable filler: Onlay injection technique to the bone. **Plast Reconstr Surg Glob Open** 1: e4, 2013.
- 109) Bourin P, Bunnell BA, Casteilla L, Domonici M, Katz AJ, March KL, Redl H, Rubin JP, Yoshimura K, Gimble JM. Stromal cells from the adipose tissue derived stromal vascular fraction (SVF) and culture expanded adipose-derived stromal/stem cells (ASC): a joint statement of IFATS and ISCT. **Cytotherapy** 15: 641-648, 2013.
- 110) Minematsu T, Nakagami G, Yamamoto Y, Kanazawa T, Huang L, Koyanagi H, Sasaki S, Uchida G, Fujita H, Haga N, Yoshimura K, Nagase T, Sanada H. Wound blotting: A convenient biochemical assessment tool for protein components in exudate of chronic wounds. **Wound Repair Regen** 21: 329-334, 2013.
- 111)* Inoue K, Yoshimura K. Skin stem cells. **Methods Mol Biol** 989: 305-313, 2013.
- 112) D'Amico RA, Rubin JP, Neumeister MW, Del Vecchio DA, Cederna PS, Seward W, Shoaf L; American Society of Plastic Surgeons/Plastic Surgery Foundation Regenerative Medicine Task Force (K Yoshimura). A report of the ASPS Task Force on regenerative medicine: opportunities for plastic surgery. **Plast Reconstr Surg** 131: 393-399, 2013.
- 113) Sari Y, Minematsu T, Huang L, Noguchi H, Mori T, Nakagami G, Nagase T, Oe M, Sugama J, Yoshimura K, Sanada H. Establishment of a novel rat model for deep tissue injury deterioration. **Int Wound J**, in press. doi: 10.1111/iwj.12082.

- 114)* Yang S, Eto H, Kato H, Doi K, Kuno S, Kinoshita K, Ma H, Tsai CH, Chou WT, Yoshimura K. Comparative characterization of stromal vascular cells derived from three types of vascular wall and adipose tissue. **Tissue Eng Part A** 19:2724-2734, 2013.
- 115) Ishimine H, Yamakawa N, Sasao M, Tadokoro M, Kami D, Komazaki S, Tokuhara M, Takada H, Ito Y, Kuno S, Yoshimura K, Umezawa A, Ohgushi H, Asashima M, Kurisaki A. N-Cadherin is a prospective cell surface marker of human mesenchymal stem cells that have high ability for cardiomyocyte differentiation. **Biochem Biophys Res Commun** 438: 753-759, 2013.
- 116) Saito A, Koga K, Osuga Y, Harada M, Takemura Y, Yoshimura K, Yano T, Kozuma S. Individualized management of umbilical endometriosis: A report of seven cases. **J Obstet Gynaecol Res** 40: 40-45, 2014.
- 117) Nishimura S, Manabe I, Takaki S, Nagasaki M, Otsu M, Yamashita H, Sugita J, Yoshimura K, Eto K, Komuro I, Kadowaki T, Nagai R. Adipose natural regulatory B cells negatively control adipose tissue inflammation. **Cell Metab**, in press. doi: 10.1016/j.cmet.2013.09.017.
- 118)* Doi K, Kuno S, Kobayashi A, Hamabuchi T, Kato H, Kinoshita K, Aoi N, Eto H, Yoshimura K. Enrichment of adipose-derived stem/stromal cells from the liquid portion of liposuction aspirates using an adherent column. **Cytotherapy**, in press. doi: 10.1016/j.jcyt.2013.09.002.
- 119)* Kato H, Mineda K, Eto H, Doi K, Kuno S, Kinoshita K, Kanayama K, Yoshimura K. Degeneration, regeneration, and cicatrization after fat grafting: Dynamic total tissue remodeling during the first three months. **Plast Reconstr Surg**, in press.
- 120)* Mineda K, Kuno S, Kato H, Kinoshita K, Doi K, Hashimoto I, Nakanishi H, Yoshimura K. Chronic inflammation and progressive calcification as a result of fat necrosis: the worst end in fat grafting. **Plast Reconstr Surg**, in press.
- 121) Mashiko T, Minabeb T, Shiokawa I, MIneda K, Yoshimura K. Heterotopic ossification in cauliflower ear. **J Plast Reconstr Aesthe Surg**, in press. doi: 10.1016/j.bjps.2013.10.015.
- 122)* Araki J, Kato H, Doi K, Kuno S, Kinoshita K, Mineda K, Kanayama K, Yoshimura K. Therapeutic potential of normobaric hyperoxygenation (NBO): experimental application to an ischemic skin flap and a composite skin graft. **Plast Reconstr Surg Glob Open**, in press.
- 123)* Kato H, Araki J, Doi K, Kuno S, Kinoshita K, Mineda K, Kanayama K, Yoshimura K. Normobaric hyperoxygenation enhances initial survival, regeneration, and final retention in fat grafting. **Plast Reconstr Surg**, in press.

Book chapter (English publication only)

- 1)* Yoshimura K, Sato K, Matsumoto D. Cell-assisted lipotransfer for breast augmentation: grafting of progenitor-enriched fat tissue. In Autologous fat transfer (Ed by Shiffman MA), Springer, Berlin, pp261-271, 2010.
- 2)* Yoshimura K, Asano Y. Fat injection to the breasts. In Aesthetic and Reconstructive Surgery of the Breast (Ed by Hall-Findlay EJ, Evans GRD), Elsevier, London, UK, pp.405-420, 2010.
- 3)* Yoshimura K. From Liposuction to adipose tissue engineering. In: Drs. Illouz Yves Gerard and Sterodimas Aris, eds. Adipose Stem Cells and Regenerative Medicine. Springer, Heiderberg, Germany, in press.
- 4)* Yoshimura K, Aoi N, Eto H, Doi K, Kato H. Minimal Scar Breast Augmentation Using Autologous Fat Grafting, Body In: Contouring and Liposuction, edited by Rubin JP, Jewell M, Richter D, and Uebel C, Elsevier, London, UK, in press.